OzKleen Asia-Pacific Pty Ltd
ABN 86 067 952 747
111 Lahrs Road
Ormeau Qld 4208
Australia
PO Box 1425
Beenleigh Qld 4207
Australia
P 07 5549 4777
F 07 5540 7555
mail@ozkleen.com.au
www.ozkleen.com.au

Material Safety Data Sheet
POWER CLOTH

Based on available information; not classified as hazardous according to criteria of Worksafe Australia.
Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER: OZKLEEN ASIA-PACIFIC

Product Name: OZKLEEN POWER CLOTH

2. COMPOSITION/INFORMATION ON INGREDIENTS

Product Description: wave 45 GSM spunlace non-woven with dots , plastic bag .

Components / CAS Number		Proportion
SPUNLACE CLOTH:	1.VISCOSE	100%
	2.POLYESTER	0%
	TOTAL:	100%

Dots: Octyl decyl dinethyl ammonium chloride 0.03990%
* Dioctyl dimethyl ammonium chloride 0.01995%
* Didecyl dimethyl ammonium chloride 0.01995%
* Alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium chloride 0.05320%
* Inert ingredients 99.867%
TOTAL : 100%
Ingredients determined not to 100% - be hazardous

3. HAZARDS IDENTIFICATION

Poisons Schedule: None allocated.

4. FIRST AID MEASURES

Inhalation: Remove victim from area of exposure - avoid becoming a casualty. Seek medical advice if effects persist.
Skin Contact: If irritation occurs discontinue use. If effects persist seek medical advice.
Eye Contact: If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.
Ingestion: Rinse mouth with water. If swallowed, give a glass of water to drink. If vomiting occurs give further water. Seek medical assistance.
Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Specific Hazards: Combustible material.
Fire-fighting advice: On burning will emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.
Suitable Extinguishing Media: Water fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry chemical powder).

OzKleen Asia-Pacific Pty Ltd
ABN 86 067 952 747
111 Lahrs Road
Ormeau Qld 4208
Australia
PO Box 1425
Beenleigh Qld 4207
Australia
P 07 5549 4777
F 07 5540 7555
mail@ozkleen.com.au
www.ozkleen.com.au

6. ACCIDENTAL RELEASE MEASURES

No special measures necessary. Dispose of used wipes with household garbage.

7. HANDLING AND STORAGE

Handling advice: Keep out of reach of children. Avoid eye contact. Not suitable for use on the face or childrens skin.
Storage advice: Store in a cool and well ventilated place. Store away from sources of heat or ignition.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:
No value assigned for this specific material by the National Occupational Health and Safety Commission. However, Exposure Standard(s) for possible constituents of vapour:

8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Occupational Exposure Limits:
No value assigned for this specific material by the National Occupational Health and Safety Commission. However, Exposure Standard(s) for possible constituents of vapour:

Ethyl alcohol: 8hr TWA = 1880 mg/m3 (1000 ppm)
1-Methyl-2-pyrrolidone: 8hr TWA = 103 mg/m3 (25 ppm), 15 min STEL = 309 mg/m3
(75 ppm) As published by the National Occupational Health and Safety Commission.
TWA - The time-weighted average airborne concentration over an eight-hour working
day, for a five-day working we over an entire working life.
STEL (Short Term Exposure Limit) – the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers.
These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity Engineering.

Control Measures: Natural ventilation should be adequate under normal use conditions.

Personal Protective Equipment:
Ozkleen Factory Safe Handling Code: Green
MANUFACTURE, PACKAGING AND TRANSPORT: Green - Wear clean overalls, safety boots, general purpose gloves (PVC) and safety spectacles. Always wash hands before smoking, eating, drinking or using the toilet.
FOR CONSUMER USE: No special personal protective equipment required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Specific Gravity: 55GSM
Relative Vapour Density (air=1): N
Vapour Pressure (20 °C): 0
Flash Point (°C): 180°C
Flammability Limits (%): 10%
pH: 7
Evaporation Rate: 0.3%

OzKleen Asia-Pacific Pty Ltd
ABN 86 067 952 747
111 Lahrs Road
Ormeau Qld 4208
Australia
PO Box 1425
Beenleigh Qld 4207
Australia
P 07 5549 4777
F 07 5540 7555
mail@ozkleen.com.au
www.ozkleen.com.au

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of use.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:
Ingestion: No adverse effects expected, however large amounts may cause nausea and vomiting.
Eye contact: May be an eye irritant.

Skin contact: Repeated or prolonged skin contact may lead to irritation.
Inhalation: No adverse effects expected.
Long Term Effects: No information available for the product.
Toxicological Data: No LD50 data available for the product.

12. ECOTOXICOLOGICAL INFORMATION

No environment effects likely.

13. DISPOSAL CONSIDERATIONS

Refer to Waste Management Authority. Normally suitable for disposal at approved land waste site.

14. TRANSPORT INFORMATION

Road and Rail Transport
Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by oad and Rail.
Marine Transport
Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
Air Transport
Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods
Regulations for transport by air.

15. REGULATORY INFORMATION

Classification: Based on available information, not classified as hazardous according to criteria of Worksafe Australia.
Poisons Schedule: None allocated.

16. OTHER INFORMATION

This material safety data sheet has been prepared by: OzKleen Asia-Pacific Pty Ltd
This MSDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material in the workplace. Since OzKleen Asia-Pacific cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

If further information or clarification is required please contact:

OzKleen Asia Pacific Mr Peter Quinn 07 5549 4777
MSDS Revision Date: 19/07/2007

OzKleen Asia-Pacific Pty Ltd
ABN 86 067 952 747
111 Lahrs Road
Ormeau Qld 4208
Australia
PO Box 1425
Beenleigh Qld 4207
Australia
P 07 5549 4777
F 07 5540 7555
mail@ozkleen.com.au
www.ozkleen.com.au

* NOTE * The information contained herein is furnished without warranty of any kind. Employers should use this only as a supplement to their own independent determinations on the proper use of these materials and the health and safety of their employees. The information stated is believed to be accurate and represents the best information available at the time.—

-- End of MSDS --